


ANSI 150 : 275 psi WP (18.96 BARG)

Shell Test : 425 psi (29.3 BARG)

Seat Test : 300 psi (20.7 BARG)

SIZE	FF-RF " (mm)	Type	Operation	Model	Bore " (mm)	WEIGHT lb (Kg)
1/2"	4-1/4" (108)	Floating	Lever	2 Piece	1/2" (12.7)	6(3)
3/4" x 1/2"	4-5/8" (118)	Floating	Lever	2 Piece	1/2" (12.7)	7(4)
3/4"	4-5/8" (118)	Floating	Lever	2 Piece	3/4" (19.0)	9(4)
1" x 3/4"	5" (127)	Floating	Lever	2 Piece	3/4" (19.0)	10(5)
1"	5" (127)	Floating	Lever	2 Piece	1" (25.4)	11(5)
1-1/2" x 1"	6-1/2" (165)	Floating	Lever	2 Piece	1" (25.4)	16(7)
1-1/2"	6-1/2" (165)	Floating	Lever	2 Piece	1-1/2" (38.0)	22(10)
2" x 1-1/2"	7" (178)	Floating	Lever	2 Piece	1-1/2" (38.0)	30(15)
2"	7" (178)	Floating	Lever	2 Piece	2" (50.8)	40(20)
3" x 2"	8" (203)	Floating	Lever	2 Piece	2" (50.8)	50(25)
3"	8" (203)	Floating	Lever	2 Piece	3" (76.2)	70(30)
4" x 3"	9" (229)	Floating	Lever	2 Piece	3" (76.2)	90(40)
4"	9" (229)	Floating	Lever	2 Piece	4" (101.6)	120(55)
6" x 4"	15-1/2" (394)	Floating	Lever	2 Piece	4" (101.6)	150(70)
6"	15-1/2" (394)	Trunnion	Gear	3 Piece	6" (152.4)	500(230)
8" x 6"	18" (457)	Trunnion	Gear	3 Piece	6" (152.4)	600(270)
8"	18" (457)	Trunnion	Gear	3 Piece	8" (203.2)	750(340)
10" x 8"	21" (533)	Trunnion	Gear	3 Piece	8" (203.2)	850(390)
10"	21" (533)	Trunnion	Gear	3 Piece	10" (254)	1200(550)
12" x 10"	24" (610)	Trunnion	Gear	3 Piece	10" (254)	1500(680)
12"	24" (610)	Trunnion	Gear	3 Piece	12" (305)	1700(770)
14" x 12"	27" (686)	Trunnion	Gear	3 Piece	12" (305)	1850(840)
14"	27" (686)	Trunnion	Gear	3 Piece	13-1/4" (336)	2350(1070)
16" x 14"	30" (762)	Trunnion	Gear	3 Piece	13-1/4" (336)	2600(1180)
16"	30" (762)	Trunnion	Gear	3 Piece	15-1/4" (388)	3050(1390)
18" x 16"	34" (864)	Trunnion	Gear	3 Piece	15-1/4" (388)	3250(1480)
20 x 16"	36" (914)	Trunnion	Gear	3 Piece	15-1/4" (388)	3450(1570)
18"	34" (864)	Trunnion	Gear	3 Piece	17-1/4" (438)	4400(2000)
20" x 18"	36" (914)	Trunnion	Gear	3 Piece	17-1/4" (438)	4800(2180)
20"	36" (914)	Trunnion	Gear	3 Piece	19-1/4" (489)	5300(2400)
24" x 20"	42" (1067)	Trunnion	Gear	3 Piece	19-1/4" (489)	5600(2540)
24" x 24"	42" (1067)	Trunnion	Gear	3 Piece	23-1/4" (590)	8700(3940)



MULTI-VALVE TECHNOLOGY


Tel: 44+ (0) 1383 733380 Fax: 44+ (0) 1383 733383
 email: multivalve@aol.com website: www.multivalve.com

ANSI 300: 720 psi WP (49.65 BARG)

Shell Test : 1100 psi (75.9 BARG)

Seat Test : 800 psi (55.2 BARG)

SIZE	FF-RF (mm)	Type	Operation	Model	Bore (mm)	WEIGHT lb (Kg)
1/2"	5-1/2" (140)	Floating	Lever	2 Piece	1/2" (12.7)	7(3)
3/4" x1/2"	6" (152)	Floating	Lever	2 Piece	1/2" (12.7)	8(4)
3/4"	6" (152)	Floating	Lever	2 Piece	3/4" (19.0)	10(5)
1" x3/4"	6-1/2" (165)	Floating	Lever	2 Piece	3/4" (19.0)	12(6)
1"	6-1/2" (165)	Floating	Lever	2 Piece	1" (25.4)	13(6)
1-1/2" x1"	7-1/2" (191)	Floating	Lever	2 Piece	1" (25.4)	18(8)
1-1/2"	7-1/2" (191)	Floating	Lever	2 Piece	1-1/2" (38.0)	26(12)
2" x1-1/2"	8-1/2" (216)	Floating	Lever	2 Piece	1-1/2" (38.0)	40(18)
2"	8-1/2" (216)	Floating	Lever	2 Piece	2" (50.8)	60(27)
3" x2"	11-1/8" (283)	Floating	Lever	2 Piece	2" (50.8)	70(32)
3"	11-1/8" (283)	Floating	Lever	2 Piece	3" (76.2)	100(45)
4" x3"	12" (305)	Floating	Lever	2 Piece	3" (76.2)	120(54)
4"	12" (305)	Floating	Lever	2 Piece	4" (101.6)	160(72)
6" x4"	15-7/8" (403)	Floating	Lever	2 Piece	4" (101.6)	220(100)
6"	15-7/8" (403)	Trunnion	Gear	3 Piece	6" (152.4)	550(249)
8" x6"	19-3/4" (502)	Trunnion	Gear	3 Piece	6" (152.4)	650(300)
8"	19-3/4" (502)	Trunnion	Gear	3 Piece	8" (203.2)	850(385)
10" x8"	22-3/8" (568)	Trunnion	Gear	3 Piece	8" (203.2)	900(410)
10"	22-3/8" (568)	Trunnion	Gear	3 Piece	10" (254)	1250(570)
12" x10"	25-1/2" (648)	Trunnion	Gear	3 Piece	10" (254)	1650(750)
12"	25-1/2" (648)	Trunnion	Gear	3 Piece	12" (305)	1900(860)
14" x12"	30" (762)	Trunnion	Gear	3 Piece	12" (305)	2000(910)
14"	30" (762)	Trunnion	Gear	3 Piece	13-1/4" (336)	2600(1180)
16" x14"	33" (838)	Trunnion	Gear	3 Piece	13-1/4" (336)	2900(1320)
16"	33" (838)	Trunnion	Gear	3 Piece	15-1/4" (388)	3450(1560)
18" x16"	36" (914)	Trunnion	Gear	3 Piece	15-1/4" (388)	3650(1650)
20x16"	39" (990)	Trunnion	Gear	3 Piece	15-1/4" (388)	3950(1790)
18"	36" (914)	Trunnion	Gear	3 Piece	17-1/4" (438)	5000(2260)
20" x18"	39" (990)	Trunnion	Gear	3 Piece	17-1/4" (438)	5200(2360)
20"	39" (990)	Trunnion	Gear	3 Piece	19-1/4" (489)	5500(2500)
24" x20"	45" (1143)	Trunnion	Gear	3 Piece	19-1/4" (489)	5950(2700)
24" x24"	45" (1143)	Trunnion	Gear	3 Piece	23-1/4" (590)	9250(4190)



MULTI-VALVE TECHNOLOGY

Tel: 44+ (0)1383 733380 Fax: 44+ (0)1383 733383
 email: multivalve@aol.com website: www.multivalve.com

ANSI 600 : 1440 psi WP (99.3 BARG)

Shell Test : 2175 psi (150 BARG)
Seat Test : 1600 psi (110.3 BARG)

SIZE	FF-RF "(mm)	FF-RTJ "(mm)	Type	Operator	Mode	Bore "(mm)	WEIGHT lb (Kg)
1/2"	6-1/2"(165)	6-7/16"(163)	Floating	Lever	2 Piece	1/2"(12.7)	8(4)
3/4" x 1/2"	7-1/2"(191)	7-1/2"(191)	Floating	Lever	2 Piece	1/2"(12.7)	9(4)
3/4"	7-1/2"(191)	7-1/2"(191)	Floating	Lever	2 Piece	3/4"(19.0)	11(5)
1" x 3/4"	8-1/2"(216)	8-1/2"(216)	Floating	Lever	2 Piece	3/4"(19.0)	12(6)
1"	8-1/2"(216)	8-1/2"(216)	Floating	Lever	2 Piece	1"(25.4)	15(7)
1-1/2" x 1"	9-1/2"(241)	9-1/2"(241)	Floating	Lever	2 Piece	1"(25.4)	22(10)
1-1/2"	9-1/2"(241)	9-1/2"(241)	Floating	Lever	2 Piece	1-1/2"(38.0)	30(14)
2" x 1-1/2"	11-1/2"(292)	11-5/8"(295)	Floating	Lever	2 Piece	1-1/2"(38.0)	50(25)
2"	11-1/2"(292)	11-5/8"(295)	Floating	Lever	2 Piece	2"(50.8)	70(30)
3" x 2"	14"(356)	14-1/8"(359)	Floating	Lever	2 Piece	2"(50.8)	80(40)
3"	14"(356)	14-1/8"(359)	Trunnion	Lever	2 Piece	3"(76.2)	120(55)
4" x 3"	17"(432)	17-1/8"(435)	Trunnion	Lever	2 Piece	3"(76.2)	140(65)
4"	17"(432)	17-1/8"(435)	Trunnion	Lever	2 Piece	4"(101.6)	220(100)
6" x 4"	22"(559)	22-1/8"(562)	Trunnion	Lever	2 Piece	4"(101.6)	300(140)
6"	22"(559)	22-1/8"(562)	Trunnion	Gear	3 Piece	6"(152.4)	600(270)
8" x 6"	26"(660)	26-1/8"(663)	Trunnion	Gear	3 Piece	6"(152.4)	700(320)
8"	26"(660)	26-1/8"(663)	Trunnion	Gear	3 Piece	8"(203.2)	1200(525)
10" x 8"	31"(787)	31-1/8"(791)	Trunnion	Gear	3 Piece	8"(203.2)	1350(620)
10"	31"(787)	31-1/8"(791)	Trunnion	Gear	3 Piece	10"(254)	1700(770)
12" x 10"	33"(838)	33-1/8"(841)	Trunnion	Gear	3 Piece	10"(254)	1900(870)
12"	33"(838)	33-1/8"(841)	Trunnion	Gear	3 Piece	12"(305)	2200(1000)
14" x 12"	35"(889)	35-1/8"(892)	Trunnion	Gear	3 Piece	12"(305)	2600(1180)
14"	35"(889)	35-1/8"(892)	Trunnion	Gear	3 Piece	13-1/4"(336)	2950(1340)
16" x 14"	39"(991)	39-1/8"(994)	Trunnion	Gear	3 Piece	13-1/4"(336)	3300(1500)
16"	39"(991)	39-1/8"(994)	Trunnion	Gear	3 Piece	15-1/4"(388)	4550(2070)
18" x 16"	43"(1092)	43-1/8"(1095)	Trunnion	Gear	3 Piece	15-1/4"(388)	4770(2160)
20 x 16"	47"(1194)	47-1/4"(1200)	Trunnion	Gear	3 Piece	15-1/4"(388)	5100(2320)
18"	43"(1092)	43-1/8"(1095)	Trunnion	Gear	3 Piece	17-1/4"(438)	6550(2890)
20" x 18"	47"(1194)	47-1/4"(1200)	Trunnion	Gear	3 Piece	17-1/4"(438)	6510(2950)
20"	47"(1194)	47-1/4"(1200)	Trunnion	Gear	3 Piece	19-1/4"(489)	6650(3020)
24" x 20"	55"(1397)	55-3/8"(1407)	Trunnion	Gear	3 Piece	19-1/4"(489)	7400(3360)
24" x 24"	55"(1397)	55-3/8"(1407)	Trunnion	Gear	3 Piece	23-1/4"(590)	11550(5232)

MULTI-VALVE TECHNOLOGYTel: 44+ (0)1383 733380 Fax: 44+ (0)1383 733383
email: multivalve@aol.com website: www.multivalve.com

ANSI 900 : 2160 psi WP (148.9 BARG)

Shell Test : 3250 psi (224.1 BARG)

Seat Test : 2400 psi (165.5 BARG)

SIZE	FF-RF "(mm)	FF-RTJ "(mm)	Type	Operator	Model	Bore "(mm)	WEIGHT lb (Kg)
1/2"	8-1/2"(216)	8-1/2"(216)	Floating	Lever	2 Piece	1/2"(12.7)	13(6)
3/4" x 1/2"	9"(229)	9"(229)	Floating	Lever	2 Piece	1/2"(12.7)	13(6)
3/4"	9"(229)	9"(229)	Floating	Lever	2 Piece	3/4"(19.0)	20(9)
1" x 3/4"	10"(254)	10"(254)	Floating	Lever	2 Piece	3/4"(19.0)	23(11)
1"	10"(254)	10"(254)	Floating	Lever	2 Piece	1"(25.4)	26(12)
1-1/2" x 1"	12"(305)	12"(305)	Floating	Lever	2 Piece	1"(25.4)	34(16)
1-1/2"	12"(305)	12"(305)	Floating	Lever	2 Piece	1-1/2"(38.0)	40(18)
2" x 1-1/2"	14-1/2"(368)	14-5/8"(371)	Floating	Lever	2 Piece	1-1/2"(38.0)	90(40)
2"	14-1/2"(368)	14-5/8"(371)	Floating	Lever	2 Piece	2"(50.8)	120(55)
3" x 2"	15"(381)	15-1/8"(384)	Floating	Lever	2 Piece	2"(50.8)	140(65)
3"	15"(381)	15-1/8"(384)	Trunnion	Lever	2 Piece	3"(76.2)	180(80)
4" x 3"	18"(457)	18-1/8"(460)	Trunnion	Lever	2 Piece	3"(76.2)	220(100)
4"	18"(457)	18-1/8"(460)	Trunnion	Lever	2 Piece	4"(101.6)	320(150)
6" x 4"	24"(610)	24-1/8"(613)	Trunnion	Lever	2 Piece	4"(101.6)	440(200)
6"	24"(610)	24-1/8"(613)	Trunnion	Gear	3 Piece	6"(152.4)	700(320)
8" x 6"	29"(737)	29-1/8"(740)	Trunnion	Gear	3 Piece	6"(152.4)	900(410)
8"	29"(737)	29-1/8"(740)	Trunnion	Gear	3 Piece	8"(203.2)	1550(705)
10" x 8"	33"(838)	33-1/8"(841)	Trunnion	Gear	3 Piece	8"(203.2)	1600(730)
10"	33"(838)	33-1/8"(841)	Trunnion	Gear	3 Piece	10"(254)	1850(840)
12" x 10"	38"(965)	38-1/8"(968)	Trunnion	Gear	3 Piece	10"(254)	2300(1050)
12"	38"(965)	38-1/8"(968)	Trunnion	Gear	3 Piece	12"(305)	2900(1320)
14" x 12"	40-1/2"(1029)	40-7/8"(1038)	Trunnion	Gear	3 Piece	12"(305)	3400(1550)
14"	40-1/2"(1029)	40-7/8"(1038)	Trunnion	Gear	3 Piece	13-1/4"(336)	3850(1750)
16" x 14"	44-1/2"(1130)	44-7/8"(1140)	Trunnion	Gear	3 Piece	13-1/4"(336)	4000(1820)
16"	44-1/2"(1130)	44-7/8"(1140)	Trunnion	Gear	3 Piece	15-1/4"(388)	4750(2160)
18" x 16"	48"(1219)	48-1/2"(1232)	Trunnion	Gear	3 Piece	15-1/4"(388)	5000(2260)
20 x 16"	52"(1321)	52-1/2"(1334)	Trunnion	Gear	3 Piece	15-1/4"(388)	5450(2470)
18"	48"(1219)	48-1/2"(1232)	Trunnion	Gear	3 Piece	17-1/4"(438)	7050(3200)
20" x 18"	52"(1321)	52-1/2"(1334)	Trunnion	Gear	3 Piece	17-1/4"(438)	7900(3580)
20"	52"(1321)	52-1/2"(1334)	Trunnion	Gear	3 Piece	19-1/4"(489)	10050(4550)
24" x 20"	61"(1549)	61-3/4"(1568)	Trunnion	Gear	3 Piece	19-1/4"(489)	11450(5190)
24" x 24"	61"(1549)	61-3/4"(1568)	Trunnion	Gear	3 Piece	23-1/4"(590)	13400(6070)

MULTI-VALVE TECHNOLOGYTel: 44+ (0)1383 733380 Fax: 44+ (0)1383 733383
email: multivalve@aol.com website: www.multivalve.com

ANSI 1500 : 3600 psi WP (248.3BARG)

Shell Test : 5400 psi (372.4 BARG)

Seat Test : 4000 psi (275.9 BARG)

SIZE	FF-RF "(mm)	FF-RTJ "(mm)	Type	Operator	Model	Bore "(mm)	WEIGHT lb (Kg)
1/2"	8-1/2"(216)	8-1/2"(216)	Floating	Lever	2 Piece	1/2"(12.7)	13(6)
3/4" x 1/2"	9"(229)	9"(229)	Floating	Lever	2 Piece	1/2"(12.7)	13(6)
3/4"	9"(229)	9"(229)	Floating	Lever	2 Piece	3/4"(19.0)	20(9)
1" x 3/4"	10"(254)	10"(254)	Floating	Lever	2 Piece	3/4"(19.0)	23(11)
1"	10"(254)	10"(254)	Floating	Lever	2 Piece	1"(25.4)	26(12)
1-1/2" x 1"	12"(305)	12"(305)	Floating	Lever	2 Piece	1"(25.4)	34(16)
1-1/2"	12"(305)	12"(305)	Floating	Lever	2 Piece	1-1/2"(38.0)	40(18)
2" x 1-1/2"	14-1/2"(368)	14-5/8"(371)	Floating	Lever	2 Piece	1-1/2"(38.0)	90(40)
2"	14-1/2"(368)	14-5/8"(371)	Floating	Lever	2 Piece	2"(50.8)	120(55)
3" x 2"	18-1/2"(470)	18-5/8"(473)	Floating	Lever	2 Piece	2"(50.8)	170(80)
3"	18-1/2"(470)	18-5/8"(473)	Trunnion	Lever	2 Piece	3"(76.2)	240(110)
4" x 3"	21-1/2"(546)	21-5/8"(549)	Trunnion	Lever	2 Piece	3"(76.2)	290(130)
4"	21-1/2"(546)	21-5/8"(549)	Trunnion	Gear	3 Piece	4"(101.6)	550(250)
6" x 4"	27-3/4"(705)	28"(711)	Trunnion	Gear	3 Piece	4"(101.6)	700(320)
6"	27-3/4"(705)	28"(711)	Trunnion	Gear	3 Piece	6"(152.4)	1200(550)
8" x 6"	32-3/4"(832)	33-1/8"(841)	Trunnion	Gear	3 Piece	6"(152.4)	1400(640)
8"	32-3/4"(832)	33-1/8"(841)	Trunnion	Gear	3 Piece	8"(203.2)	1700(770)
10" x 8"	39"(991)	39-3/8"(1000)	Trunnion	Gear	3 Piece	8"(203.2)	2150(980)
10"	39"(991)	39-3/8"(1000)	Trunnion	Gear	3 Piece	10"(254)	3150(1430)
12" x 10"	44-1/2"(1130)	45-1/8"(1146)	Trunnion	Gear	3 Piece	10"(254)	3750(1700)
12"	44-1/2"(1130)	45-1/8"(1146)	Trunnion	Gear	3 Piece	12"(305)	4350(1980)
14" x 12"	49-1/2"(1257)	50-1/4"(1276)	Trunnion	Gear	3 Piece	12"(305)	4650(2120)
14"	49-1/2"(1257)	50-1/4"(1276)	Trunnion	Gear	3 Piece	13-1/4"(336)	5250(2390)
16" x 14"	54-1/2"(1384)	55-3/8"(1407)	Trunnion	Gear	3 Piece	13-1/4"(336)	6150(2800)
16"	54-1/2"(1384)	55-3/8"(1407)	Trunnion	Gear	3 Piece	15-1/4"(388)	7600(3460)
18" x 16"	60-1/2"(1537)	61-3/8"(1559)	Trunnion	Gear	3 Piece	15-1/4"(388)	9000(4080)
20 x 16"	65-1/2"(1664)	66-3/8"(1686)	Trunnion	Gear	3 Piece	15-1/4"(388)	10550(4800)
18"	60-1/2"(1537)	61-3/8"(1559)	Trunnion	Gear	3 Piece	17-1/4"(438)	10850(4920)
20" x 18"	65-1/2"(1664)	66-3/8"(1686)	Trunnion	Gear	3 Piece	17-1/4"(438)	13000(5890)
20"	65-1/2"(1664)	66-3/8"(1686)	Trunnion	Gear	3 Piece	19-1/4"(489)	15900(7200)
24" x 20"	76-1/2"(1943)	77-5/8"(1972)	Trunnion	Gear	3 Piece	19-1/4"(489)	19100(8650)
24" x 24"	76-1/2"(1943)	77-5/8"(1972)	Trunnion	Gear	3 Piece	23-1/4"(590)	27100(12270)

MULTI-VALVE TECHNOLOGY

Tel: 44+ (0)1383 733380 Fax: 44+ (0)1383 733383


email: multivalve@aol.com website: www.multivalve.com

ANSI 2500 : 6000 psi WP (413.8 BARG)

Shell Test : 9000 psi (620.7 BARG)

Seat Test : 6600 psi (455.2 BARG)

SIZE	FF-RF " (mm)	FF-RTJ " (mm)	Type	Operator	Model	Bore " (mm)	WEIGHT lb (Kg)
1/2"	10-3/8" (264)	10-3/8" (264)	Floating	Lever	2 Piece	1/2" (12.7)	40(18)
3/4" x1/2"	10-3/4" (273)	10-3/4" (273)	Floating	Lever	2 Piece	1/2" (12.7)	45(20)
3/4"	10-3/4" (273)	10-3/4" (273)	Floating	Lever	2 Piece	3/4" (19.0)	50(23)
1" x3/4"	12-1/8" (308)	12-1/8" (308)	Floating	Lever	2 Piece	3/4" (19.0)	55(25)
1"	12-1/8" (308)	12-1/8" (308)	Floating	Lever	2 Piece	1" (25.4)	60(27)
1-1/2" x1"	15-1/8" (384)	15-1/4" (387)	Floating	Lever	2 Piece	1" (25.4)	80(36)
1-1/2"	15-1/8" (384)	15-1/4" (387)	Floating	Lever	2 Piece	1-1/2" (38.0)	100(45)
2" x1-1/2"	17-3/4" (451)	17-7/8" (454)	Floating	Lever	2 Piece	1-1/2" (38.0)	120(55)
2"	17-3/4" (451)	17-7/8" (454)	Trunnion	Lever	2 Piece	2" (50.8)	210(95)
3" x2"	22-3/4" (578)	23" (584)	Trunnion	Lever	2 Piece	2" (50.8)	320(145)
3"	22-3/4" (578)	23" (584)	Trunnion	Gear	2 Piece	3" (76.2)	550(250)
4" x3"	26-1/2" (673)	26-7/8" (683)	Trunnion	Gear	2 Piece	3" (76.2)	700(320)
4"	26-1/2" (673)	26-7/8" (683)	Trunnion	Gear	3 Piece	4" (101.6)	800(360)
6" x4"	36" (914)	36-1/2" (927)	Trunnion	Gear	3 Piece	4" (101.6)	1300(590)
6"	36" (914)	36-1/2" (927)	Trunnion	Gear	3 Piece	5-1/4" (134)	1900(860)
8" x6"	40-1/4" (1022)	40-7/8" (1038)	Trunnion	Gear	3 Piece	5-1/4" (134.)	2350(1070)
8"	40-1/4" (1022)	40-7/8" (1038)	Trunnion	Gear	3 Piece	7-1/8" (181.)	5000(2270)
10" x8"	50" (1270)	50-7/8" (1292)	Trunnion	Gear	3 Piece	7-1/8" (181)	6100(2770)
10"	50" (1270)	50-7/8" (1292)	Trunnion	Gear	3 Piece	8-7/8" (225)	6700(3050)
12" x10"	56" (1422)	56-7/8" (1445)	Trunnion	Gear	3 Piece	8-7/8" (225)	8500(3860)
12"	56" (1422)	56-7/8" (1445)	Trunnion	Gear	3 Piece	10-1/2" (267)	9500(4320)



MULTI-VALVE TECHNOLOGY

Tel: 44+ (0)1383 733380 Fax: 44+ (0)1383 733383
 email: multivalve@aol.com website: www.multivalve.com

API 5000 : 5000 psi WP (344.8 BARG)


Shell Test : 10000 psi (689.7 BARG)
Seat Test : 5000 psi (344.8 BARG)

SIZE	FF-RTJ "(mm)	Type	Operator	Model	Bore "(mm)	WEIGHT lb (Kg)
2-1/16" x1-13/16"	14-5/8" (372)	Trunnion	Lever	2 Piece	1.81" (46.0)	160(72)
2-1/16"	14-5/8" (372)	Trunnion	Lever	2 Piece	2.06" (52.3)	210(95)
2-9/16" x2-1/16"	16-5/8" (422)	Trunnion	Lever	2 Piece	2.06" (52.3)	240(108)
2-9/16"	16-5/8" (422)	Trunnion	Lever	2 Piece	2.56" (65.0)	280(127)
3-1/8" x2-9/16"	18-5/8" (473)	Trunnion	Lever	2 Piece	2.56" (65.0)	320(145)
3-1/8"	18-5/8" (473)	Trunnion	Gear	3 Piece	3.12" (79.2)	550(249)
4-1/16" x3-1/8"	21-5/8" (549)	Trunnion	Gear	3 Piece	3.12" (79.2)	590(267)
4-1/16"	21-5/8" (549)	Trunnion	Gear	3 Piece	4.06" (103)	810(367)
5-1/8" x4-1/16"	28"-5/8(727)	Trunnion	Gear	3 Piece	4.06" (103)	880(398)
5-1/8"	28"-5/8(727)	Trunnion	Gear	3 Piece	5.12" (130)	1850(838)
7-1/16" x5-1/8"	29" (737)	Trunnion	Gear	3 Piece	5.12" (130)	1950(883)
7-1/16"	32" (813)	Trunnion	Gear	3 Piece	7.06" (179)	4900(2220)

API 10000 : 10000 psi WP (689.6 BARG)

Shell Test : 15000 psi (1034.5 BARG)
Seat Test : 10000 psi (689.6 BARG)

SIZE	FF-RTJ "(mm)	Type	Operator	Model	Bore "(mm)	WEIGHT lb (Kg)
2-1/16" x1-13/16"	20-1/2" (521)	Trunnion	Lever	2 Piece	1.81" (46.0)	220(100)
2-1/16"	20-1/2" (521)	Trunnion	Gear	2 Piece	2.06" (52.3)	290(132)
2-9/16" x2-1/16"	22-1/4" (565)	Trunnion	Gear	2 Piece	2.06" (52.3)	330(150)
2-9/16"	22-1/4" (565)	Trunnion	Gear	2 Piece	2.56" (65.0)	390(177)
3-1/16" x2-9/16"	24-3/8" (619)	Trunnion	Gear	2 Piece	2.56" (65.0)	440(200)
3-1/16"	24-3/8" (619)	Trunnion	Gear	3 Piece	3.06" (77.7)	760(344)
4-1/16" x3-1/16"	26-3/8" (670)	Trunnion	Gear	3 Piece	3.06" (77.7)	810(370)
4-1/16"	26-3/8" (670)	Trunnion	Gear	3 Piece	4.06" (103)	1120(510)
5-1/8" x4-1/16"	29" (737)	Trunnion	Gear	3 Piece	4.06" (103)	1210(550)
5-1/8"	29" (737)	Trunnion	Gear	3 Piece	5.12" (130)	2540(1150)
7-1/16" x5-1/8"	35" (889)	Trunnion	Gear	3 Piece	5.12" (130)	2680(1220)
7-1/16"	35" (889)	Trunnion	Gear	3 Piece	7.06" (179)	6740(3050)



MULTI-VALVE TECHNOLOGY

Tel: 44+ (0)1383 733380 Fax: 44+ (0)1383 733383
email: multivalve@aol.com website: www.multivalve.com